DURGOO

SERVICE FOR ALL

ALL KINDS OF GOODS IMPORT & EXPORT

86, Arambag, Motijheel,
Dhaka, Bangladesh.

Durgoo77@gmail.com

+880 1680 6804 0907

www.durgoo.com

WeChat

WhatsApp

SMART SOLUTIONS

SMART DOOR & LOCK

SECURE | SMART | RELIABLE



IMTIAZ HOSSAIN SHAHIN
UAE REPRESENTATIVE
+971 5074 06519
Fujairah, UAE.

MOHAMMAD RAHMATULLA
AFRICA REPRESENTATIVE
+267 7177 2332
Francistown, Botswana.

MOHAMMAD AMRAN
SAUDI ARABIA REPRESENTATIVE
+966 5734 60047
Dammam Al Adama State,
Next to Al Wafa Market,
Saudi Arabia.

PREMIUM QUALITY
Trusted Products

GLOBAL NETWORK
Worldwide Service

RELIABLE PARTNER
Business You Can Trust

CUSTOMER SATISFACTION
Our First Priority

Certificate



Laboratory Center



Dust-free workshop



Multifunctional test equipment



Durability test



Impact test

100+ Honors



- ★ **Drafting unit of standard for smart door technical requirements**
- ★ **Won the 2019, 2020, 2021, 2022, 2023 “SFAWARD” smart Lock industry leading brand**
- ★ **Won the 2020, 2021, 2022, 2023 “SFAWARD” Smart Door Industry leading brand**
- 2023 “SFAWARD” Smart Lock Industry Consumer Favorite Brand Award
- 2023 “SFAWARD” Smart Door Industry Consumer Favorite Brand Award
- 2023 “SFAWARD” Gold Award for Smart Door Product
- 2019, 2021, 2022, 2023 “SFAWARD” Smart Lock Industry Quality and Safety Award & Industrial Design Award
- 2021, 2022, 2023 “SFAWARD” Smart Door Industry Science and Technology Innovation Award & Industrial Design Award
- 2021 Industry Special Award * New Brand of Smart Door
- 2021 Guangdong Province market quality credit AAA-level customer satisfaction enterprise
- 2021 Best Smart Door Lock Brand
- Won the second and third “GOLDEN HOOK PRIZE” in 2018 and 2020
- 2020 “KONG MING AWARD” Best Product Quality Award & Best Product Innovation Award
- Influential brand of China Building Materials Network Smart Lock in 2020
- 2020 Smart lock Top Ten Brand Network Selection No. 1
- 2019 “KONG MING AWARD” Smart Door Lock Innovative Product Award
- China“Red Star Design Award”

195 Patents




Invention patent certificate

National High-Tech Enterprise



Service Process



Design Proposal Phase

3 key process

1.understanding requirements

▼

2.conceptual design

▼

3.design detail confirmation



Production Phase

4 key process

1.produce sample

▼

2.sample and detail confirmation

▼

3.semi-finished product inspection

▼

4.finished product inspection



Delivery Phase

5 key process

1.factory test assembly

▼

2.quality inspection and shipment

▼

3.logistics and transportation

▼

4.client acceptance/inspection

▼


5.after-sales follow-up

PRODUCTS SERIES

Smart Door



M3 SERIES



MATERIAL TECHNOLOGY

Panel process	Tenon nanometre coating technology	
T-shaped door panel technology	Full-directional luxurious air-tight adhesive strip covering, T-shaped door	
Padding	Aluminum honeycomb	
Lock body	MF intelligent system/ML intelligent system + 6 heavy solid core steel lock body + C-class lock core	
Hinges	Conceal hinges *3	
Panel material	Steel	
Camera	Outside:2 cameras; Inside:1 camera(optional)	
Battery	Lithium battery (can be accessed to mains supply)	
Size	Can be customized	
	Standard height	2050mm(80.71in)/2150mm(84.65in)/2250mm(88.58in)
	Standard width	960mm(37.8in)/1050mm(41.34in)/1160mm(45.67in)

*Pictures are only examples, colors and finishes can be customized.

INTELLIGENT SYSTEM

- The Cat Eye is equipped with a 140° ultra-wide-angle camera. The intelligent AI dual camera supports up to 72 hours of cloud storage, allowing you to view images at any time.
- The back-embedded 5.5/10.1 inch smart screen supports visual settings that can be easily operated without pressure.
- The whole house can be intelligently linked (it can access a smart speaker). The door recognition module integrates the multi - functional system with cat - eye monitoring, an automatic lock body, and an Internet of Things module.
- There are 8 ways to open the door, and the 0.2-second biometric recognition helps to quickly switch the lock, allowing the door to open automatically and efficiently.

ADVANTAGE

- Low Maintenance: The steel construction requires minimal maintenance, making it an efficient and long-term solution for homeowners.
- Prehung & Preassembled: The door comes pre-hung and pre-assembled in a formed door frame, ensuring easy and quick installation.
- Great Value: Offering exceptional quality, elegance, and security at an affordable price, this door provides excellent value for money.
- Thermal Insulation: Designed with excellent thermal insulation properties, this door helps maintain a comfortable indoor temperature, keeping your home warm in the winter and cool in the summer.

UNLOCK WAYS



Wifi



Walnut

Textured grey


Back



Walnut

Textured grey

M6 SERIES



MATERIAL TECHNOLOGY

Panel process	Tenon nanometre coating technology	
T-shaped door panel technology	Full-directional luxurious air-tight adhesive strip covering, T-shaped door	
Padding	XPS high-density flame-retardant board	
Lock body	MF intelligent system/ML intelligent system + 6 heavy solid core steel lock body + C-class lock core	
Hinges	Conceal hinges *3	
Panel material	Steel	
Camera	Outside:2 cameras; Inside:1 camera(optional)	
Battery	Lithium battery (can be accessed to mains supply)	
Size	Can be customized	
	Standard height	2050mm(80.71in)/2150mm(84.65in)/2250mm(88.58in)
	Standard width	960mm(37.8in)/1050mm(41.34in)/1160mm(45.67in)

*Pictures are only examples, colors and finishes can be customized.

INTELLIGENT SYSTEM

- The Cat Eye is equipped with a 140° ultra-wide-angle camera. The intelligent AI dual camera supports up to 72 hours of cloud storage, allowing you to view images at any time.
- The back-embedded 5.5/10.1 inch smart screen supports visual settings that can be easily operated without pressure.
- The whole house can be intelligently linked (it can access a smart speaker). The door recognition module integrates the multi - functional system with cat - eye monitoring, an automatic lock body, and an Internet of Things module.
- There are 8 ways to open the door, and the 0.2-second biometric recognition helps to quickly switch the lock, allowing the door to open automatically and efficiently.

ADVANTAGE

- Low Maintenance: The steel construction requires minimal maintenance, making it an efficient and long-term solution for homeowners.
- Prehung & Preassembled: The door comes pre-hung and pre-assembled in a formed door frame, ensuring easy and quick installation.
- Great Value: Offering exceptional quality, elegance, and security at an affordable price, this door provides excellent value for money.
- Thermal Insulation: Designed with excellent thermal insulation properties, this door helps maintain a comfortable indoor temperature, keeping your home warm in the winter and cool in the summer.

UNLOCK WAYS



Wifi

Front



Imperial Scenery Pattern

Armor Pattern

Back




Gilded white wax

Luxury cherry

Gold silk white oak

M8 SERIES



MATERIAL TECHNOLOGY

Panel process	Tenon nanometre coating technology	
T-shaped door panel technology	Full-directional luxurious air-tight adhesive strip covering, T-shaped door	
Padding	XPS high density flame retardant board	
Lock body	MF intelligent system/ML intelligent system + 6 heavy solid core steel lock body + C-class lock core	
Hinges	Conceal hinges *3	
Panel material	Aluminum alloy	
Interior panel material	Environmentally friendly wood	
Camera	Outside:2 cameras; Inside:1 camera(optional)	
Battery	Lithium battery (can be accessed to mains supply)	
Size	Can be customized	
	Standard height	2050mm(80.71in)/2150mm(84.65in)/2250mm(88.58in)
	Standard width	960mm(37.8in)/1050mm(41.34in)/1160mm(45.67in)

*Pictures are only examples, colors and finishes can be customized.

INTELLIGENT SYSTEM

- The Cat Eye is equipped with a 140° ultra-wide-angle camera. The intelligent AI dual camera supports up to 72 hours of cloud storage, allowing you to view images at any time.
- The back-embedded 5.5/10.1 inch smart screen supports visual settings that can be easily operated without pressure.
- The whole house can be intelligently linked (it can access a smart speaker). The door recognition module integrates the multi - functional system with cat - eye monitoring, an automatic lock body, and an Internet of Things module.
- There are 8 ways to open the door, and the 0.2-second biometric recognition helps to quickly switch the lock, allowing the door to open automatically and efficiently.

ADVANTAGE

- Long-lasting Durability: Constructed from high-quality steel, the door and frame are built to last, providing exceptional strength and durability for years.
- Superior Thickness: With a total thickness of 9 cm (3.54 inches), this door is twice as thick as standard doors, offering both enhanced security and a stylish, solid appearance.
- Excellent Security: The heavy-duty design offers superior protection against burglary, making it an ideal choice for securing your home.
- Sound Insulation: The door includes a high-performance sealing strip around the frame, effectively blocking outside noise and ensuring a quiet indoor environment.

UNLOCK WAYS



Front

Wifi



Sky grey M86

Gilded gold M88

Back



Gilded white wax

Luxury cherry

Gold silk white oak

M10 SERIES

MATERIAL TECHNOLOGY

Panel process	Tenon nanometre coating technology
Padding	XPS high density flame retardant board
Lock body	K10plus smart lock + handlelock + deadbolt
Hinges	Hinges *3
Panel material	Multi-ply engineered wood
Interior panel material	Multi-ply engineered wood
Battery	Lithium battery (can be accessed to mains supply)
Size	Can be customized

*Pictures are only examples, colors and finishes can be customized.

INTELLIGENT SYSTEM

- The Cat Eye is equipped with a 140° ultra-wide-angle camera. The intelligent AI dual camera supports up to 72 hours of cloud storage, allowing you to view images at any time.
- The back-embedded 10.1 inch smart screen supports visual settings that can be easily operated without pressure.
- There are 7 ways to open the door, and the 0.2-second biometric recognition helps to quickly switch the lock, allowing the door to open automatically and efficiently

ADVANTAGE

- The door's panel adopts Tenon nanometre coating technology, which enhances its corrosion resistance and durability, ensuring a long service life.
- With an aluminum alloy frame, multi-ply engineered wood panel, the door is lightweight, making installation easier and more efficient, saving both time and labor.
- Graphene filling effectively blocks external heat transfer, maintaining stable indoor temperatures, and reduces outside noise to create a quiet and comfortable indoor environment.
- The door has a sleek and modern design. It offers customizable colors and finishes, easily matching various home decoration styles while providing a visually appealing look.

UNLOCK WAYS

Face recognition | Palm vein unlock | Fingerprint recognition | Password unlock | NFC unlock | Mechanical key | Mobile phone remote unlock | Encrypted key card

Front

Wifi



Door Frame+Door Leaf



Door Leaf

Back



Door Frame+Door Leaf



Door Leaf

M11 SERIES

MATERIAL TECHNOLOGY

Panel process	Tenon nanometre coating technology
Padding	XPS high density flame retardant board
Lock body	K10plus smart lock + handlelock + deadbolt
Hinges	Hinges *3
Panel material	Multi-ply engineered wood
Interior panel material	Multi-ply engineered wood
Battery	Lithium battery (can be accessed to mains supply)
Size	Can be customized

*Pictures are only examples, colors and finishes can be customized.

INTELLIGENT SYSTEM

- The Cat Eye is equipped with a 140° ultra-wide-angle camera. The intelligent AI dual camera supports up to 72 hours of cloud storage, allowing you to view images at any time.
- The back-embedded 4 inch smart screen supports visual settings that can be easily operated without pressure.
- There are 7 ways to open the door, and the 0.2-second biometric recognition helps to quickly switch the lock, allowing the door to open automatically and efficiently

ADVANTAGE

- The door's panel adopts Tenon nanometre coating technology, which enhances its corrosion resistance and durability, ensuring a long service life.
- With an aluminum alloy frame, multi-ply engineered wood panel, the door is lightweight, making installation easier and more efficient, saving both time and labor.
- Graphene filling effectively blocks external heat transfer, maintaining stable indoor temperatures, and reduces outside noise to create a quiet and comfortable indoor environment.
- The door has a sleek and modern design. It offers customizable colors and finishes, easily matching various home decoration styles while providing a visually appealing look.

UNLOCK WAYS

Face recognition

Palm vein unlock

Fingerprint recognition

Password unlock

NFC unlock

Mechanical key

Mobile phone remote unlock

Encrypted key card

Front

Wifi



Door Frame+Door Leaf



Door Leaf

Back



Door Frame+Door Leaf



Door Leaf

Door Types



Single door M82




Unequal double door M3



Double door M86



MF



IP55 WATERPROOF

FIREPROOF

Wifi



Multifunctional smart module



AI smart camera



Smart door handle (front/back handle)




HD smart screen


BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T7068LT	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	1pcs
	Size	41*19*41cm
	G.W	5.1KGS/CTN



ML





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	D7068ML	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	1pcs
	Size	185*12*12cm+40*41*18cm
	G.W	12.05KGS/CTN




MK

IP55 WATERPROOF

FIREPROOF

Wifi





Smart door handle
(front/back handle)



Multifunctional smart module



AI smart camera



HD smart screen

BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	S6068Y	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	1pcs
	Size	41*19*41cm
	G.W	4KGS/CTN

PRODUCTS SERIES

K



TENÖN

Biometric Fingerprint Reader

Password

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password



Customizable Bilingual Version

EN

K1 Plus


WORKS WITH amazon alexa


IP55 WATERPROOF


TTLOCK

Bluetooth

Bluetooth









BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Fingerprint capacity	Tuya 20pcs / TTLOCK 100pcs	
Password capacity	Tuya 20pcs / TTLOCK 250pcs	
Power supply	4PCS * AAA Alkaline battery	
Emergency power supply	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	Single latch	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	8pcs
	Size	44.5*37.5*21.5cm
	G.W	8KGS/CTN

TENON

Biometric Fingerprint Reader

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

EN

K5


WORKS WITH amazon alexa

IP55 WATERPROOF

TTLOCK

Bluetooth

Wifi



BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	100pcs	
Password capacity IC card capacity	1000pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	10pcs
	Size	53*36*27.5cm
	G.W	16KGS/CTN

TENÖN

Biometric Fingerprint Reader

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version


EN

K7

WORKS WITH amazon alexa

IP55 WATERPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	Deadbolt lock	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	12pcs
	Size	40*40*17.5cm
	G.W	15KGS/CTN



K8

WORKS WITH amazon alexa


IP55 WATERPROOF

FIREPROOF

TTLOCK

Bluetooth Wifi

Wifi



BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pcs	
Password capacity	Tuya 99pcs / TTLOCK 250pcs	
IC card capacity	Tuya 99pcs / TTLOCK 1000pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	Single latch	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	8pcs
	Size	44.5*37.5*21.5cm
	G.W	19KGS/CTN

TENON

Palm Vein Unlocking

Face ID(optional)

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version


EN

K10 Pro

WORKS WITH amazon alexa

IP55 WATERPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition(optional), fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	Deadbolt lock	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	20pcs
	Size	53*41*30cm
	G.W	20KGS/CTN

PRODUCTS SERIES

Automatic Lock





Customizable Bilingual Version

A2


WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

TTLOCK Bluetooth Wifi

Bluetooth Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pc	
Password capacity	Tuya 99pcs / TTLOCK 250pc	
IC card capacity	Tuya 99pcs / TTLOCK 1000pc	
Power supply	8PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	18KGS/CTN



A5


WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Bluetooth

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	8PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	19KGS/CTN




A5 Pro

WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	21KGS/CTN

TENON

Palm Vein Unlocking

Face ID

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

EN


A6pro

WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	21KGS/CTN



Customizable Bilingual Version

A9X

WORKS WITH amazon alexa


IP55 WATERPROOF

FIREPROOF

TTLOCK

Bluetooth Wifi

Bluetooth Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pcs	
Password capacity	Tuya 99pcs / TTLOCK 250pcs	
IC card capacity	Tuya 99pcs / TTLOCK 1000pcs	
Face recognition	Tuya 99pcs / TTLOCK 50pcs	
Power supply	Tuya 8PCS * AA Alkaline battery / TTLOCK 7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	Tuya < 4.8V / TTLOCK < 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	19KGS/CTN

TENON

Palm Vein Unlocking

Face ID

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version


A9 Pro

WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T60XF/T70XF	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	20KGS/CTN

TENÕN

Palm Vein Unlocking

Face ID

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version


D2 Pro


WORKS WITH amazon alexa


IP55 WATERPROOF

FIREPROOF

Wifi









BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	6068/7068	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	20KGS/CTN




D7

WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Powered By tuya Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	6068/7068	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	20KGS/CTN

TENŌN

Palm Vein Unlocking

Face ID

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

EN


D7 Pro

WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 6.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	6068/7068	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	21KGS/CTN

TENON

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

Low Voltage Alarming

Virtual Password


Customizable Bilingual Version

EN

F8

IP55 WATERPROOF

FIREPROOF





BASIC SPECIFICATION

Material	Zinc Alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs	
Password capacity	Tuya 99pcs	
IC card capacity	Tuya 99pcs	
Power supply	8PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	T6068T	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	2pcs
	Size	70*40*27.5cm
	G.W	19KGS/CTN

PRODUCTS SERIES

Handle Lock





K6


WORKS WITH amazon alexa


IP55 WATERPROOF


FIREPROOF

TTLOCK Bluetooth

Bluetooth Wifi










BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pcs	
Password capacity	Tuya 99pcs / TTLOCK 250pcs	
IC card capacity	Tuya 99pcs / TTLOCK 1000pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	6pcs
	Size	40.8*46.5*56.1cm
	G.W	22KGS/CTN



T09

IP55 WATERPROOF
FIREPROOF
TTLOCK
Bluetooth
Wifi





BASIC SPECIFICATION

Material	Carbon steel	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity **Password capacity** **IC card capacity**	100pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	10pcs
	Size	62*36.5*32cm
	G.W	25KGS/CTN



Customizable Bilingual Version

T10


IP55 WATERPROOF

FIREPROOF

TTLOCK

Bluetooth
Wifi

Bluetooth
Wifi





BASIC SPECIFICATION

Material	Carbon steel	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	100pcs	
Password capacity	100pcs	
IC card capacity	100pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	6pcs
	Size	45.3*38.2*45.5cm
	G.W	19KGS/CTN

TENON

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

T11


IP55 WATERPROOF

FIREPROOF

TTLOCK

Bluetooth

Wifi





BASIC SPECIFICATION

Material	Carbon steel	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity **Password capacity** **IC card capacity**	100pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	10pcs
	Size	62*36.5*32cm
	G.W	25KGS/CTN

TENON

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

EN

T15


WORKS WITH amazon alexa

IP55 WATERPROOF

TTLOCK

Bluetooth Wifi

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tenon 99pcs / TTLOCK 100pcs	
Password capacity	Tenon 99pcs / TTLOCK 250pcs	
IC card capacity	Tenon 99pcs / TTLOCK 1000pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	14KGS/CTN

TENON

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

Low Voltage Alarming

Virtual Password

Doorbell


Customizable Bilingual Version

EN

T109

IP55 WATERPROOF

FIREPROOF





BASIC SPECIFICATION

Material	Zinc Alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	8PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	S6068	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	26KGS/CTN



E15


WORKS WITH amazon alexa

IP55 WATERPROOF

FIREPROOF

Bluetooth

Wifi



BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	5050/6068/6072/6085	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	14KGS/CTN

TENŌN

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version


EN

E3

IP55 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	99pcs	
IC card capacity	99pcs	
Power supply	4PCS * AA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	S6068	
Features	Anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	4pcs
	Size	48.5*46.5*40.5cm
	G.W	22KGS/CTN

TENON

Biometric Fingerprint Raeder

Password

IC Card

Mechanical Key

App Control

Low Voltage Alarming

Virtual Password

Doorbell

Customizable Bilingual Version

EN

K9

WORKS WITH amazon alexa


IP65 WATERPROOF

FIREPROOF

TTLOCK

Bluetooth

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pcs	
Password capacity	Tuya 99pcs / TTLOCK 250pcs	
IC card capacity	Tuya 99pcs / TTLOCK 1000pcs	
Power supply	4PCS * AAA Alkaline battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-25 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	2085/2585/3085/3585/4085/4585/5085/5585/6085	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	9pcs
	Size	62*45*41.5cm
	G.W	20.6KGS/CTN




K91

IP65 WATERPROOF

FIREPROOF

Wifi





BASIC SPECIFICATION

Material	Aluminium alloy	
Unlocking way	Palm vein, face recognition, fingerprint, password, IC card, mechanical key, app	
Fingerprint module	Semi-conductor fingerprint module	
Card type	Mifare M1	
Fingerprint capacity	99pcs	
Password capacity	50pcs	
IC card capacity	99pcs	
Face Recognition + Palm vein capacity	50pcs	
Power supply	7.4V Lithium battery	
Emergency power	5V Type-c	
Low voltage alarm	< 4.8V	
Working temperature	-20 ℃ ~70 ℃	
Relative humidity	20~90%RH	
Mortise	2085/2585/3085/3585/4085/4585/5085/5585/6085	
Features	Passage mode(keep the door unlocked for easy access), anti-theft mortise, voice prompts, low battery alarm, virtual password, system protection, multi-level administrator settings	
Packing details	Quantity	12pcs
	Size	60*46*41cm
	G.W	27.7KGS/CTN

20+ Mortise Size Options

- Simple and durable structure
- Shockproof structure
- High strength SUS304 anti-theft
- Top C grade cylinder lock
- Built-in motor cluth
- Easy to install and change direction



T60XF



T70XF



S6068



6068



5050



5085



60/70



T7068LT

Accessories

Lock Body Parameters Unit:mm

NO.	T60XF	T70XF	S6068	6068
Type	Automatic Lock Body	Automatic Lock Body	Electronic Lock Body	Mechanical Lock Body
Size	178*99.1*19	178*109.1*19	176*94*19	176*90*19
Center Distance	60*68	70*68	60*68	60*68
Faceplate Size	240*24*3	240*24*2.5	240*24*2.3	240*24*2.3
Faceplate Screws	4*M5	4*M5	4*M5	4*M5
Latch Length	13	13	12.5	12
Deadbolt features	Square shape	Square shape	Three parts column-shape	Three parts column-shape
Door	Steel Door / Wood Door			

NO.	5050	5085	60/70	T7068LT
Type	Mechanical Lock Body	Mechanical Lock Body	Deadbolt Lock	Heavy Solid Core Steel Lock Body
Size	100*71.5*14.2	174*67.5*19	110/120*57*25.5	114*388*40
Center Distance	50*50	50*85	60*70	70*68
Faceplate Size	147*22*2.5	240*22*3	57*25.5*3	40*388*2.5
Faceplate Screws	2*M5	2*M5	2*M5	4*M5
Latch Length	12	10.5	26	20
Deadbolt features	Square shape	Square shape	Square shap	Sixpart scolumn-shape
Door	Steel Door / Wood Door			