DURGOO

SERVICE FOR ALL

ALL KINDS OF GOODS IMPORT & EXPORT

86, Arambag, Motijheel,
Dhaka, Bangladesh.

Durgoo77@gmail.com

+880 1680 6804 0907

www.durgoo.com

WeChat

WhatsApp

SMART SOLUTIONS

SMART DOOR & LOCK

SECURE | SMART | RELIABLE



IMTIAZ HOSSAIN SHAHIN
UAE REPRESENTATIVE
+971 5074 06519
Fujairah, UAE.

MOHAMMAD RAHMATULLA
AFRICA REPRESENTATIVE
+267 7177 2332
Francistown, Botswana.

MOHAMMAD AMRAN
SAUDI ARABIA REPRESENTATIVE
+966 5734 60047
Dammam Al Adama State,
Next to Al Wafa Market,
Saudi Arabia.





PREMIUM QUALITY
Trusted Products

GLOBAL NETWORK
Worldwide Service


RELIABLE PARTNER
Business You Can Trust

CUSTOMER SATISFACTION
Our First Priority

lab demonstration




— Index



Welcome

ANSOO

01 — Semi-Automatic Smart Lock 4

02 — Slim Aluminium Smart Lock 9

03 — Fully Automatic Type Smart Lock 13

04 — Smart Knob Lock 17

05 — Smart Deadbolt Lock 19

06 — Others 23



S01

Standard

- Password
- Fingerprint
- Card
- Key



Optional

- TUYA WiFi APP
- TT Bluetooth APP
- Remote control

Configuration Parameters

Material	Aluminium Alloy	Power Supply	AA Battery
Size	360*72*75mm	Color	Black / Grey/Antique Copper
Mortise	6068	Suitable door thickness	40-100 mm
Features: Display & Doorbell & USB Emergency Charging			

S02




- Mirror color: Black
- Matt color: Black / Silver / Antique Copper
- Size: 253*62*75mm
- APP: Tuya WiFi

S03



- Mirror color: Black / Silver / Antique Copper
- Size: 365*68mm
- APP: Tuya WiFi
- **Peephole**

Standard



S04



- Mirror color: Black/ Antique Copper
- Size: 260*60mm
- APP: Tuya WiFi / TT Bluetooth

S10



- Mirror color: Black
- Size: 250*65*70mm
- APP: Tuya WiFi / TT Bluetooth

Common Parameters

Material: Aluminium Alloy
Mortise: 5050 (S02, S04, S10) 6068 (S03)
Fingerprint Capacity: 100
Password Capacity: 100
Card Capacity: 100
Power Supply: AA Battery (S03,S04,S10)
Power Supply: AAA Battery (S02)
Suitable door thickness: 30-80 mm (S02,S04,S10)
Suitable door thickness: 40-100 mm (S03)

S05

Standard

Password

Fingerprint

Card

Key



Optional

· Tuya LOCK

· TT LOCK

Configuration Parameters

Material	Aluminum Alloy	Power Supply	AA Battery
Size	185*68mm	Color	Black/Silver
Password Capacity	100	Suitable door thickness	35-55 mm
Fingerprint Capacity	100		

S06

Standard

Password

Fingerprint

Card

Key



Optional

· Tuya LOCK

· TT LOCK

Configuration Parameters

Material	Zinc Alloy	Power Supply	AA Battery
Size	185*68mm	Color	Black/Silver
Password Capacity	100	Suitable door thickness	35-55mm
Fingerprint Capacity	100		

Fingerprint Handle Lock

S07



S07+



S07-C



S07-D



Standard

Fingerprint Key

Fingerprint Password Key Tuya bluetooth APP

Fingerprint Password Card Key Tuya bluetooth APP

Fingerprint Password Key

Optional

- Tuya Bluetooth APP (S07, S07-D)
- TT Bluetooth APP (S07+)
- Mortise + Cylinder





Common Parameters

Material	Aluminum Alloy
Size	Handle length 150mm
Color	Black/Silver
Latch	60/70mm(optional)
Power supply	AAA Battery
Suitable door thickness	30-50mm

S08



Standard

Fingerprint Key

Optional

- TT Bluetooth APP (S08+)
- Tuya Bluetooth APP (S08-D)

S08+



Standard

Fingerprint Password Key Tuya bluetooth APP

S08-C



Standard

Fingerprint Password Card Key Tuya bluetooth APP

S08-D



Standard

Fingerprint Password Key

Common Parameters

Material	Aluminum Alloy
Size	Handle length 147mm
Color	Black
Cover size	65*65mm
Latch	60/70mm(optional)
Power supply	AAA Battery
Suitable door thickness	30-50mm



Slim Aluminium Smart Lock

A01



Standard
- **Fully Automatic**
- **Waterproof level: IPX5**

Password

Fingerprint

Card

Key

Face recognition

Palmar vein

Optional

- TUYA WIFI APP
- TT Bluetooth APP

Configuration Parameters

Material	Aluminium Alloy	Power Supply	4800 mAh lithium battery
Size	408*36mm	Color	Black / Silver
Fingerprint Capacity	100	Suitable door thickness	40-120 mm
Supports two-factor authentication for unlocking			

A03



- Color: Black / Silver / Gold
- Size: 330*37*24mm

A04



- Color: Black / Silver / Gold
- Size: 330*37*25mm

A05



- Color: Black / Silver / Gold
- Size: 310*36*26mm

A06



- Color: Black
- Size: 320*36*25mm

Standard

- Waterproof level: IPX5

Password

Fingerprint

Card

Key

Optional

· TUYA WIFI/Bluetooth APP

· TT Bluetooth APP

Common Parameters

Material:	Aluminium Alloy
Fingerprint Capacity:	100
Password Capacity:	100
Card Capacity:	100
Power Supply:	AA Battery
Suitable door thickness:	40-120 mm

A08



- Size: 408*37mm

A09



- Size: 408*36mm

A10



- Size: 408*36mm

A11



- Size: 408*36mm

Standard

- Fully Automatic
- Waterproof level: IPX5

Password | Fingerprint | Card | Key | Face | Handle

Face recognition | Palmar vein

Optional

· TUYA WIFI/Bluetooth APP

· TT Bluetooth APP


Common Parameters

Material:	Aluminium Alloy
Fingerprint Capacity:	100
Password Capacity:	199
Card Capacity:	199
Power Supply:	4800 mAh lithium battery
Suitable door thickness:	40-120 mm
Color:	Black/Silver

A02



Standard



Fingerprint Password Card Key


- Color: Black
- Material: Solid aluminum CNC
- Size: 326*36.3mm
- Battery: 4 AA alkine battery
- Door thickness: 35-80mm

Optional

- Tuya WIFI APP
- TT Bluetooth APP

A07






Fingerprint Password Card Key

- Color: Black/Silver
- Material: Aluminum Alloy
- Size: 330*37mm
- **Waterproof level: IPX5**
- Battery: 2000 mAh lithium battery
- Door thickness: 40-120mm

- Tuya WIFI APP
- TT Bluetooth APP
- Fake lock
  (no circuit board)

A12





Fingerprint Password Card Key

- Color: Black/Silver/Gold
- Material: Aviation Aluminum
- Size: 550*38*95mm
- **Waterproof level: IPX5**
- Battery: 4800 mAh lithium battery
- Door thickness: 40-120mm

- Tuya WIFI APP
- TT Bluetooth APP
- Fake lock
  (no circuit board)



Fully Automatic Type Smart Lock

M03

Standard

-Video Intercom

Password

Fingerprint

Card

Key

APP

Tuya WiFi

FACE

Face Recongnition

PALM

Palmar Vein



Configuration Parameters

Material	Aluminium Alloy	Power Supply	4200mAh lithium battery
Size	430*76mm	Color	Grey
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M6



Standard
-Video Intercom

Password · Fingerprint · Card · Key · Tuya WiFi · Face Recongnition · Palmar Vein

Configuration Parameters

Material	Aluminium Alloy	Power Supply	4200mAh lithium battery
Size	430*80mm	Color	Grey
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M11



Standard
-Video Intercom

Password · Fingerprint · Card · Key · Tuya WiFi · Face Recongnition · Palmar Vein

Configuration Parameters

Material	Solid aluminum CNC	Power Supply	4200mAh lithium battery
Size	410*72mm	Color	Black
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M12



Standard
-Video Intercom

Password · Fingerprint · Card · Key · Tuya WiFi · Face Recongnition · Palmar Vein

Configuration Parameters

Material	Aluminium Alloy	Power Supply	4200mAh lithium battery
Size	430*76mm	Color	Grey
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M13

Standard

-Video Intercom

Password

Fingerprint

Card

Key

APP

Tuya WiFi

FACE

Face Recongnition

PALM

Palmar Vein



Configuration Parameters

Material	Aluminum alloy CNC	Power Supply	4200mAh lithium battery
Size	430*72mm	Color	Black
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M15

Standard

-Video Intercom

Password

Fingerprint

Card

Key

APP

Tuya WiFi

FACE

Face Recongnition

PALM

Palmar Vein



Configuration Parameters

Material	Aluminum alloy CNC	Power Supply	4200mAh lithium battery
Size	430*72mm	Color	Black
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M16

Standard

-Video Intercom

Password

Fingerprint

Card

Key

APP

Tuya WiFi

FACE

Face Recongnition

PALM

Palmar Vein



Configuration Parameters

Material	Aluminum alloy CNC	Power Supply	4200mAh lithium battery
Size	430*72mm	Color	Black
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		

M17

Standard

-Video Intercom

Password

Fingerprint

Card

Key

APP

Tuya WiFi

FACE

Face Recongnition

PALM

Palmar Vein



Configuration Parameters

Material	Aluminum alloy CNC	Power Supply	4200mAh lithium battery
Size	430*72mm	Color	Black
Face Capacity	50	Suitable door thickness	40-100 mm
Mortise	6068		



Smart Deadbolt Lock

D02

Standard

- Password
- Fingerprint
- Card
- key



Optional

- TT APP
- TUYA WIFI APP
- Remote Control

Configuration Parameters

Material	Aluminum Alloy	Power Supply: AA Battery
Color	Black	Suitable door thickness: 35-45 mm

D05

Standard

Password

Fingerprint

Card

Key

Optional

- TT APP
- TUYA WIFI APP
- Remote Control



Configuration Parameters

Material	Aluminum Alloy	Power Supply: AA Battery
Color	Black/Silver	Suitable door thickness: 35-45 mm

D06

Standard

Password

Key

Optional

- TT APP
- TUYA Bluetooth APP
- Fingerprint



Configuration Parameters

Material	Aluminum Alloy	Power Supply: AA Battery
Color	Black	Suitable door thickness: 35-50 mm

D07

Standard

Password

Fingerprint

Key

Optional

- TT APP
- TUYA WIFI APP



Configuration Parameters

Material	zinc alloy	Power Supply: AA Battery
Color	Black/Silver	Suitable door thickness: 35-45 mm

D08

Standard

Password

Fingerprint

Key

Optional

- TT APP
- TUYA WIFI APP



Configuration Parameters

Material	zinc alloy	Power Supply: AA Battery
Color	Black/Silver	

D09

Standard

Password

Fingerprint

Card

Key

Optional

- TT APP
- TUYA WIFI APP



Configuration Parameters

Material	zinc alloy	Power Supply: AA Battery
Color	Black/Silver	

D10

Standard

Password

Fingerprint

Face Recongnition

Card

Key

Optional

- TT APP
- TUYA WIFI APP



Configuration Parameters

Material	zinc alloy	Power Supply: AA Battery
Color	Black/Silver	

D11

Standard

Password

Fingerprint

Face Recongnition

Card

Key

Optional

- TT APP
- TUYA APP



Configuration Parameters

Material	Aluminum Alloy+ABS	Power Supply: AA Battery
Color	Black/Silver	Suitable door thickness: 35-50 mm

D12

Standard

Password

Fingerprint

Face Recongnition

Card

Key

Optional

- TT APP
- TUYA WIFI APP



Configuration Parameters

Material	zinc alloy	Power Supply: lithium battery
Color	Black/Silver	



Smart Knob Lock

SKL-03





Standard

Fingerprint Key Tuya bluetooth APP

- Material: Aluminum alloy+stainless steel
- Size: 57*80mm
- Fingerprint capacity: 20

Common Parameters

Color	Black/Silver
Latch	60/70mm(optional)
Operating voltage	3.0-4.2V
Power supply	Ternary lithium battery
Suitable door thickness	35-55mm

SKL-04



Password Key Tuya bluetooth APP

- Material: Aluminum alloy+stainless steel
- Size: 57*80mm
- Password capacity: 45

SKL-05



Fingerprint Key Tuya bluetooth APP

- Material: Stainless steel
- Size: 70*75mm
- Fingerprint capacity: 20

Common Parameters

Color	Black/Silver
Latch	60/70mm(optional)
Operating voltage	3.0-4.2V
Power supply	Ternary lithium battery
Suitable door thickness	35-55mm

R1



Smart Rim Lock

Standard
- **Waterproof**

Password · Fingerprint · Card · Key

Optional
- TUYA WIFI APP
- TT Bluetooth APP

R2



Configuration Parameters

Material	Plastic+stainless iron	Power Supply	AA battery / 12V elevtric
Size	150*60mm, 130*100mm	Color	Black+SS
Administrator Capacity: 10		Normal user capacity: 290 (fingeprint, password, card)	

R3



Standard
- **Waterproof**

Password · Fingerprint · Card · Key · Face Recongnition

Optional
- TUYA WIFI APP
- TT Bluetooth APP

C01



Standard

Fingerprint Card Key APP TT/Tuya bluetooth APP

- Power supply: CR123A 3V Li/MnO2
- Cylinder Size: 30+30mm(optional)
- Card capacity: 100

Common Parameters

Material	Aluminum alloy
Color	Black/Silver
Fingerprint capacity	100
Suitable door thickness	35-45mm

C02



Password Card Key APP TT/Tuya bluetooth APP

- Power supply: CR123A 3V Li/MnO2
- Cylinder Size: 30+30mm(optional)
- Card capacity: 100

C03



Fingerprint Password Card Key APP TT/Tuya bluetooth APP

- Power supply: AAA Battery
- Cylinder Size: 60-90mm(adjustable)
- Password capacity: 50
- Card capacity: 50

C03-B



Fingerprint Password Card Key Tuya bluetooth APP


- Material: Aluminum alloy
- Cylinder Size: 35+35mm
- Password capacity: 100
- Card capacity: 100
- Power supply: AAA Battery

Others

W02



G02



Standard

Fingerprint Password Key Tuya bluetooth APP

- Material: Zinc alloy
- Size: 68*28*20 mm
- Color: Black/Silver/Grey
- Power supply: 800mAh lithium battery

Fingerprint Password Card Key Tuya bluetooth APP

- Material: ABS+Alloy
- Size: 180*70*26mm
- Fingeprint capacity: 50
- Password/Card capacity: 100
- Power supply: AA Battery
- Color: Black
- Suitable door thickness: 10-12 mm or 40-70mm